



FROM THE MAKERS OF HAYABUSA AND GSX-R

**GIXXER SF**  
**GIXXER**


**BORN OF GREATNESS**

Now available with Suzuki Ride Connect.

#amGIXXER



SUZUKI  
at your  
Doorstep



RIDE CONNECT  
SUZUKI

POWERED BY  
**SEP**  
SUZUKI EGO PERFORMANCE



# THIS IS EVOLUTION.

An ever-evolving example of automotive engineering, the GIXXER/GIXXER SF has been the poster boy of performance for everyday riding since its launch in 2014. And as it retains its highly applauded sportiness, the next generation of GIXXER/GIXXER SF comes equipped with the advanced Suzuki Ride Connect Technology that lets you stay connected and in command of your ride. So, evolve your riding experience with a machine that's **Born of Greatness.**



## Suzuki Ride Connect\* with Bluetooth® Enabled Digital Console



Now, reach your destination without any confusion. The big, bold navigation cluster gives you Turn-by-Turn directions, keeping you on the right route every time.



**Missed Call Alert & Caller ID^^**



**Call, SMS & WhatsApp Alerts**



**Turn-by-Turn Navigation**



**Speed Exceeding Alert**



**Phone Battery Level Display**



**ETA Updates**

**GIXXER**

^^Missed Call Alert & Caller ID feature is available in Android™ OS only.

\*Suzuki Ride Connect Application is available for Android™ OS Version 6 and for iOS version 12.0 onwards.

\*All lights and indicators are illuminated in the photo for illustrative purpose.

# GIXXER SF

## GIXXER

### FEATURES

#### LED HEADLAMP



To complement the mass forward design of the motorcycle along with offering long and wide field of view from its extremely bright LED headlamp.

#### LED TAIL LAMP



Compact design with highly illuminated LED lights.

#### SUZUKI RIDE CONNECT




It comes with Bluetooth® enabled digital console.

#### STIFFER 41mm LARGE DIAMETER FRONT FORKS



Increased rigidity around the front section to rightly suit the separate handle set-up at front.

#### ABS



Anti-Lock Brake System\* applies the braking force efficiently & avoids wheel lock up.

#### TWIN MUFFLER



All-new design to complement the premium and sporty looks of the bike.

#### SEP ENGINE



Suzuki Eco Performance that offers both low fuel consumption and superior acceleration.

#### CLIP-ON HANDLE BARS



For a sporty riding position.

**FOR GIXXER SF**

#### REAR TYRE HUGGER



To complement the stylish design of the premium bike.

#### SPLIT SEAT AND GRAB RAIL



Sportier appearance to ensure foot reach by reshaping contact area of the seat with the inner thigh.

#### SIDE STAND WITH INTERLOCK




To ensure safety, vehicle won't start when side stand is engaged.

### GENUINE ACCESSORIES<sup>^</sup>

#### COVER MUFFLER LOWER




#### DC SOCKET



#### SEAT COVER



#### TAPE SET TANK PAD BLUE



#### TAPE SET TANK PAD SILVER




#### TAPE SET KNEE GRIP PAD



#### TAPE SET PROTECTION




#### KNUCKLE COVER



FOR GIXXER

#### FRONT BUMPER



FOR GIXXER

#### UNDER COWLING



FOR GIXXER

#### METER VISOR



FOR GIXXER SF



GIXXER SF

GIXXER



GIXXER & GIXXER SF COLOR VARIANTS



**Metallic Sonic Silver / Pearl Blaze Orange (CJ9)**



**Metallic Triton Blue (YSF)**




**Glass Sparkle Black (YVB)**

\* Scan this QR code to download Suzuki Ride Connect Android™ Application



\* Scan this QR code to download Suzuki Ride Connect iOS Application



## UNIQUE APP FEATURES



**Big & Bold TBT Icons**



**Short Distance Bar Indicator**



**Last Parked Location**

## GIXXER SF/GIXXER SPECIFICATIONS

### Engine

Engine Type:	4-Cycle, 1-Cylinder, Air-cooled
Valve System:	SOHC
Displacement:	155 cm <sup>3</sup>
Bore x Stroke:	56 mm x 62.9 mm
Max Power:	13.6ps@8000rpm
Max Torque:	13.8Nm@6000rpm
Fuel System:	Fuel Injection
Starter System:	Electric
Transmission Type:	5 Speed, MT

### Dimensions and Weight

Overall Length (GIXXER SF):	2025 mm	Wheels:	Cast
Overall Length (GIXXER):	2020 mm	Seat Height:	795 mm
Overall Width (GIXXER SF):	715 mm	Kerb Mass (GIXXER SF):	148 kg
Overall Width (GIXXER):	800 mm	Kerb Mass (GIXXER):	141 kg
Overall Height:	1035 mm	Fuel Tank:	12 L
Wheel Base (GIXXER SF):	1340 mm		
Wheel Base (GIXXER):	1335 mm		
Ground Clearance (GIXXER SF):	165 mm		
Ground Clearance (GIXXER):	160 mm		

### Suspension

Front:	Telescopic
Rear:	Swing Arm

### Tyre Size

Front:	100/80-17M/C 52P
Rear:	140/60R17M/C 63P


### Brake

Front:	Disc
Rear:	Disc

### Electrical

Battery:	Maintenance-free, 12V 3Ah
Headlight:	LED
Tail Light:	LED

### Authorised Dealer



Visit us at: [www.suzukimotorcycle.co.in](http://www.suzukimotorcycle.co.in) [/suzuki2wheelers](https://www.facebook.com/suzuki2wheelers) [#amGIXXER](https://www.instagram.com/amGIXXER) [/suzuki2wheelers](https://www.youtube.com/channel/UCsuzuki2wheelers) [/suzuki2wheelers](https://www.tiktok.com/@suzuki2wheelers) [/suzuki2wheelers](https://www.instagram.com/suzuki2wheelers)

**Regd. Office, Sales & Marketing Office:** 2nd Floor, Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110070 CIN - (U74899DL199FTC086871)  
 Fax: +91-11-46075418 [www.suzukimotorcycle.in](http://www.suzukimotorcycle.in) | For further information call (Toll-Free): 1800-121-7996 (Mon-Sat from 9:00 am to 6:00 pm), or write to us at: [customer.queries@suzukimotorcycle.in](mailto:customer.queries@suzukimotorcycle.in)

We reserve the right to make changes at any point of time, without prior notice in design, colour, specifications and features of product. All items/products shown above may be indicative only and may vary in actual. Colours shown may vary from actual body colour of the product due to printing. Accessories shown in the pictures are not a part of the standard product. For the latest authentic information, kindly contact your nearest Authorized Dealer. \*Suzuki Ride Connect Application is available for Android™ OS Version 6 onwards. Android is a trademark of Google LLC. \*Suzuki ride connect application is available for iOS version 12.0 onwards. iOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license. ^Missed call alert and caller ID feature is available in Android™ OS only. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Suzuki is under license. ^Genuine Accessories are not a part of standard equipment.

Ride safe. Wear a helmet.

Please scan this QR code to visit our website

