GIXXER 250

BORN AMONGST LEGENDS.

The GIXXER SF 250/GIXXER 250 is more than just a high-performance machine. Born in a family of legends like the iconic Hayabusa and the incredible GSX-R, the GIXXER SF 250 is a heart-racing marvel in motion. Equipped with state-of-the-art Suzuki Oil Cooling System (SOCS), the GIXXER SF 250/GIXXER 250 can never be held back by the kind of tarmac that may lay under its feet - street or track. Go ahead and take control of its European design and boast top class power performance to enjoy a riding experience that is **Born Of Greatness.**

A DYNAMIC **250cc ENGINE** WITH STATE-OF-THE-ART **SOCS TECHNOLOGY** DESIGNED TO THRIVE ON INDIAN ROADS.

POWERED BY

SOCS
SUZUKI OIL COOLING SYSTEM

GIXXER SF 250 / GIXXER 250 FEATURES

GIXXER SF 250

LED HEADLAMP

To complement the mass forward design of the motorcycle along with offering long and wide field of view from its extremely bright LED headlamp.

LED TAIL HEADLAMP

Compact design with highly illuminated LED lights.

SUZUKI RIDE CONNECT

It comes with Bluetooth® enabled digital console.

SUZUKI EASY START SYSTEM

Ensures stress-free ignition.

250cc SOCS ENGINE

Specifically developed to maximize the output and improve engine durability.

6 SPEED GEARBOX

For a smoother riding experience at high speed.

STIFFER 41mm LARGE DIAMETER FRONT FORKS

FOR GIXXER 250

Increased rigidity around the front section to rightly suit the separate handle set-up at front.

BIGGER FRONT DISC BRAKE WITH DUAL CHANNEL ABS

Dual Channel ABS* with front and rear discs. Equipped with a full size 300 mm diameter for strong braking power.

WIDER TYRE

For excellent road grip and superior performance while riding on different road conditions.

REAR TYRE HUGGER

To complement the stylish design of the premium bike.

SPLIT SEAT AND GRAB RAIL

Sportier appearance to ensure foot reach by reshaping contact area of the seat with the inner thigh.

CLIP-ON HANDLE BARS

FOR GIXXER SF 250

For a sporty riding position.

TWIN MUFFLER

All-new design to complement the premium and sporty look of the bike.

SIDE STAND WITH INTERLOCK

To ensure safety, vehicle won't start when side stand is engaged.

GIXXER SF 250 / GIXXER 250 GENUINE ACCESSORIES^

COVER MUFFLER LOWER

DC SOCKET

SEAT COVER

TAPE SET TANK PAD BLUE

TAPE SET TANK PAD SILVER

TAPE SET KNEE GRIP PAD

TAPE SET PROTECTION

KNUCKLE COVER

FOR GIXXER 250

FRONT BUMPER

FOR GIXXER 250

METER VISOR

FOR GIXXER SF 250

GIXXER SF 250
YUA - METALLIC MATTE STELLAR BLUE

GIXXER SF 250
YKV - METALLIC MATTE BLACK NO.2

GIXXER SF 250
BPD - METALLIC SONIC SILVER/METALLIC TRITON BLUE

GIXXER 250
YUA - METALLIC MATTE STELLAR BLUE

GIXXER 250
YKV - METALLIC MATTE BLACK NO.2

Suzuki Ride Connect*
with Bluetooth® Enabled Digital Console

RIDE CONNECT
SUZUKI

Now, reach your destination without any confusion.
The big, bold navigation cluster gives you
Turn-by-Turn directions, keeping you on the right
route every time.

GIXXER SF 250

Missed Call Alert & Caller ID^^
Get to know who is calling and view missed calls, without even touching the phone, on the Bluetooth® Enabled Digital Console.

Speed Exceeding Alert
Set a speed limit on your Suzuki Ride Connect app and get an alert whenever you exceed that limit.

Call, SMS & WhatsApp Alerts
LCD and LED Blinking + Notification display on cluster.

Phone Battery Level Display
Phone Battery Level Display so that you never run out of power.

Turn-by-Turn Navigation
Big and Bold Turn-by-Turn Navigation icon display so that you never go off track from your destination.

ETA Updates
Estimated Time of Arrival display for never being late to your destination.

GIXXER 250 I GIXXER SF 250 SPECIFICATIONS

*Scan this QR code to download Suzuki Ride Connect Android™ Application

*Scan this QR code to download Suzuki Ride Connect iOS Application

UNIQUE APP FEATURES

Big & Bold TBT Icons   Short Distance Bar Indicator   Last Parked Location

Engine

Engine Type:	4-Cycle, 1-Cylinder, Oil-Cooled
Valve System:	SOHC
Displacement:	249 cm³
Bore x Stroke:	76 mm x 54.9 mm
Max Power:	26.5ps@9300rpm
Max Torque:	22.2Nm@7300rpm
Fuel System:	Fuel Injection
Starter System:	Electric
Transmission Type:	6 Speed, MT

Dimensions and Weight

Wheels:	Cast
Overall Length:	2010 mm
Overall Width (GIXXER SF 250):	740 mm
Overall Width (GIXXER 250):	805 mm
Overall Height:	1035 mm
Wheel Base (GIXXER SF 250):	1345 mm
Wheel Base (GIXXER 250):	1340 mm
Ground Clearance:	165 mm
Kerb Mass (GIXXER SF 250):	161 kg
Kerb Mass (GIXXER 250):	156 kg
Seat Height:	800 mm
Fuel Tank:	12 L

Suspension

Front:	Telescopic
Rear:	Swing Arm

Tyre Size

Front:	110/70R17M/C 54S
Rear:	150/60R17M/C 66S

Brake

Front:	Disc
Rear:	Disc

Electrical

Battery:	Maintenance free, 12V 6Ah
Headlight:	LED
Tail Light:	LED

Authorised Dealer

Visit us at: www.suzukimotorcycle.co.in /suzuki2wheelers #amGIXXER You Tube /suzuki2wheelers /suzuki2wheelers /suzuki2wheelers

Ride safe. Wear a helmet.

Available at

SUZUKI PREMIUM
Dealership only

Please scan this QR code to visit our website

SUZUKI ASSURANCE
5 YEAR WARRANTY

##Including 3 Years optional warranty.

*Extended warranty is offered by third party.